

INDEX OF DSTL TECHNOLOGY DATA SHEETS

| Data Sheet | Technology | Page number |
|------------|--|-------------|
| 16.4-10 | Absorption LIDAR | 5-22 |
| | Acoustic Dampening Materials Technology | 19-26 |
| | Acoustic Detection (Land Mines) | 17-56 |
| | Acoustic Weapons, Incapacitating | 2-77 |
| | Active Aeroelastic Wing | 1-24 |
| | Active Electromagnetic Sensors | DSTL-16-75 |
| | Active Hard-Kill Protection System | 9-42 |
| | Active Laser Seeker | 2-26 |
| | Active Load/Buffer Alleviation for Flight Surfaces | 1-24 |
| | Active RF Tags | 17-37 |
| | Active Sonar for Anti-Torpedo Torpedoes | 17-12 |
| | Active Sonar for Mine Countermeasures | 17-11 |
| | Active Sonar for Underwater Weapons | 17-11 |
| | Active Sonar Signal and Data Processing for Multiplatforms | 17-7 |
| | Actuators | 14-61 |
| | Advanced Active Sonar for Submersibles | 17-9 |
| | Advanced Air Data Systems | 1-30 |
| | Advanced Components for mmW Seekers | 2-28 |
| | Advanced Composite Armor Design | 2-69 |
| | Advanced Data Processing for Active Sonar | 17-7 |
| | Advanced External Vision | 1-32 |
| | Advanced Intermetallic Alloys | 14-31 |
| | Advanced Monolithic Ceramics | 14-36 |
| | Advanced Optical Sensing Technology | 11-79 |
| | Advanced Packaging of Integrated Circuits (ICs) | 8-29 |
| | Advanced Robotics for Explosive Ordnance Disposal (EOD) | 2-82 |
| | Advanced Surveillance System Technology | 19-72 |
| | Aeroprecipitation | 4-16 |
| | Air Data Systems, Advanced | 1-30 |
| | Airblast Prediction | 20-9 |
| | Airblast Simulator | 20-10 |
| | Airborne "Stealth" Radars | 17-35 |
| | Air-Chisel Clearance/Neutralization (Land Mines) | 17-56 |
| | Aircraft Corrosion Protection: Coatings and Appliqués | 14-43 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Aircraft Design and Synthesis Tools | 1-32 |
| | Aircraft Paint Stripping | 14-44 |
| | Alkali Metal Thermal to Electric Converter (AMTEC) | 7-18 |
| | Alloys for High-Temperature Use | 14-74 |
| | Alloys, High-Permeability | 14-75 |
| | Alloys, Magnetic Amorphous | 14-76 |
| | Alloys, Magnetic Nanocrystalline | 14-77 |
| | Alternators and Compulsators, High-Energy and Power Density Pulse | 7-66 |
| | Ammunition Coatings | 14-54 |
| | Ammunition, High-Firing Rate | 2-15 |
| | Amorphous Metal Matrix Composite | 14-16 |
| | Amorphous Zirconium-Based Alloys | 14-8 |
| | Antenna Voltage Increase | 6-91 |
| | Antifouling Coatings | 14-48 |
| | Antimatter Particle Beams (APBs) | 6-13 |
| | Apparel | 14-50 |
| | Application-Specific Integrated Circuits (ASICs) [Custom Integrated Circuits (ICs)] | 8-31 |
| | Armor Ceramics | 14-14 |
| | Armor Design, Advanced Composite | 2-69 |
| | Armor Material Systems, Polymer Composite | 14-11 |
| | Armor Systems, Ultra-Lightweight | 14-11 |
| | Armor, Optically Transparent | 14-9 |
| | Artificial Intelligence (AI) and Learning Integrated Circuits (ICs) | 8-32 |
| | ASW Volumetric Towed Arrays | 17-30 |
| 16.5-2 | Atomic/Ion Clocks | DSTL-16-82 |
| 16.1-14 | Atom Interferometer Inertial Sensor | DSTL-16-22 |
| | Atmospheric Effects Modeling and Simulation (M&S) | 2-33 |
| | Atmospheric Probes in the 50–800 μm Region of the Spectrum for Pollution and Nuclear Weapons Test Detection | 11-76 |
| 16.6-2 | Audio Navigation | DSTL-16-89 |
| | Automatic Target Recognition (ATR) for Autonomous Guidance | 2-27 |
| | Automatic Target Recognition | 9-67 |
| | Autonomous Operations, Smart Software for | 19-92 |
| | Autonomous Projectile/Rocket | 9-64 |
| 16.1-4 | Azimuth (North Pointing) Determination Systems (Non-Celestial Devices) | DSTL-16-12 |
| 16.3-14 | Bathymetric Data-Based Referenced Navigation (DBRN) Systems and Data Sources | DSTL-16-55 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Batteries, High-Cycle-Life Lithium-Ion | 19-42 |
| | Batteries, Lithium Polymer | 6-82 |
| | Battery (Primary), Lithium Thermal | 7-10 |
| | Battery (Rechargeable), Lithium Ion | 7-22 |
| | Battery (Rechargeable), Lithium Polymer | 7-23 |
| | Battery (Rechargeable), Nickel Metal Hydride | 7-24 |
| | Battery (Rechargeable), Silver Zinc | 7-25 |
| | Battlefield Robots | 12-36 |
| | Battlescale Lower Atmosphere Meteorology | 2-32 |
| | Behavior Modeling | 10-89 |
| | Beryllium-Aluminum | 14-29 |
| | Bio-based Sensors | 4-17 |
| | Biochemical Modeling | 5-13 |
| | Biological Protection Against Biological and Chemical Agents | 4-15 |
| | Biomarkers of Toxicant Exposure and Stress | 4-27 |
| | Biomaterials and Process Research | 14-38 |
| | Bioregulation | 5-14 |
| | Biotechnology Detection (Land Mines) | 17-57 |
| | Bistatic Surveillance Radars | 17-36 |
| | Blade-Cooling Effectiveness, Higher | 1-14 |
| | Blast Chambers | 20-25 |
| | Blended Wing/Body (BWB) | 1-5 |
| | Bonded Neodymium Permanent Magnets | 14-81 |
| | Box Wing | 1-6 |
| | Bremsstrahlung Diode | 20-118 |
| | Bremsstrahlung Sources | 20-92 |
| | Broadband Radio Frequency (RF) Component Technology | 19-23 |
| | Built-in Test Equipment (BITE) | 20-143 |
| | Bulk Metallic Glasses | 14-39 |
| | Capacitor, Peaking | 20-149 |
| | Capacitors (PFNs) | 6-79 |
| | Capacitors, Electrochemical | 7-27 |
| | Capacitors, Electrostatic | 7-26 |
| | Capacitors, High-Repetition-Rate (and Continuous) | 7-34 |
| | Capacitors, Low-Repetition-Rate and Burst | 7-32 |
| | Capacitors, Medium-Repetition-Rate | 7-33 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| | Cathodes (HPM NB Sources) | 6-63 |
| | Cathodes, Improved: Field-Emission Cathode Arrays (Cold Cathodes) | 8-4 |
| | Cathodes, Improved: Oxide-Coated Cathodes | 8-5 |
| | Ceramic and Layered Structures | 14-70 |
| | Ceramic Gas-Turbine Engines | 2-9 |
| | Ceramic Matrix Composites (CMCs) | 1-13 |
| | Ceramic Matrix Composites (Armor) | 14-10 |
| | Ceramic Matrix Composites (Structural Materials) | 14-32 |
| | Ceramics for Ballistic Protection | 2-71 |
| | Ceramics, Diamond and High Thermal Conductivity | 14-53 |
| | Channel-Adaptive Processing for Active Sonar | 17-8 |
| | Charged Particle Beams (CPBs) | 6-5 |
| | Chemical and Biological Sensor Materials | 14-55 |
| | Chemical Double Layer (CDL) Capacitors | 7-35 |
| | Chemical Neutralization (Land Mines) | 17-62 |
| | Chemical-Agent-Resistant Coatings (CARC) | 14-51 |
| | Chemically Modulated Ion Channel | 7-45 |
| | Chip-Based DNA Sequencing via Nanometer Holes in Semiconductors | 11-95 |
| | Chip-Level Optical Interconnection | 11-91 |
| | Cluster Tools | 8-13 |
| | Coherent RF Photonic Processing for Adaptive Arrays | 11-89 |
| | Cold X-Ray Debris Shield System | 20-122 |
| | Cold X-Ray Effects Simulation | 20-91 |
| | Cold X-Ray Simulator: Explosive Loading Simulator | 20-72 |
| | Cold X-Ray Simulator: Magnetically Driven Flyer Plate | 20-71 |
| | Cold X-Ray Simulator: X-Ray Machines | 20-70 |
| | Combustion-Inhibiting Technologies | 2-78 |
| | Communication Links | 10-13 |
| | Communication Satellites (Satcoms) | 9-99 |
| | Composite Armor Design, Advanced | 2-69 |
| | Composite Isogrid Components | 19-85 |
| | Composite Materials | 20-37 |
| | Composites, Fire-Resistant Polymer Matrix | 14-51 |
| | Composites, Continuous Fiber Reinforced Titanium Metal Matrix | 14-30 |
| | Composites, Discontinuously Reinforced Aluminum Metal Matrix | 14-30 |
| | Composites, High Electrical Conductivity Aluminum and Polymer | 14-16 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| | Composites, High Thermal Conductivity | 14-23 |
| | Composites, Magnetic Nanoparticle | 14-79 |
| | Composites, Metal Matrix | 14-10 |
| | Composites, Structural Carbon-Carbon | 14-35 |
| | Compound Semiconductor Integrated Circuits (ICs) | 8-33 |
| | Compton Diodes (CDs) | 20-178 |
| | Computational Fluid Dynamics | 5-9 |
| | Computational Materials and Process Development | 14-29 |
| | Computer Shock Phenomena Codes | 20-53 |
| | Computer-Controlled Optical Grinding/Polishing | 11-52 |
| | COMSEC Technology, Programmable and Embeddable | 10-53 |
| | Conformal Load Bearing Antenna Structures | 1-22 |
| | Continuous Fiber Reinforced Titanium Metal Matrix Composites | 14-30 |
| | Conventional Refractory Metals | 14-14 |
| | Converter Integrated Circuits (ICs) | 8-34 |
| | Cooled Cooling Air | 1-13 |
| | Cooled Staring Focal Plane Array Technology | 17-28 |
| | Cooled Transmissive Optics | 19-32 |
| | Cooling of Helix Tubes, Improved | 8-16 |
| | Corrosion Protection, Aircraft: Coatings and Appliqués | 14-78 |
| | Creation and Packaging of Nanomaterials (for obscurants) | 5-30 |
| | Cryogenic Fuels | 1-19 |
| | Crystal Fabrication Equipment | 20-174 |
| | Cubic Boron Nitride (cBN) Grinding Wheels for Hardened Steel Gears and Bearings | 12-27 |
| | Cubic Boron Nitride Coatings, Technology for | 12-14 |
| | Damage Control (Marine Systems) | 13-46 |
| | Data Processing for Active Sonar, Advanced | 17-17 |
| | Data Representation and Visualization | 10-31 |
| | Data Testing of Hypervelocity Impact (HVI) Effects | 20-49 |
| | Design and Synthesis Tools, Aircraft | 1-32 |
| | Designer Chemistry | 5-13 |
| | Detector Manufacturing | 20-175 |
| | Deterministic Modeling | 10-89 |
| 17.1-4 | Deterministic Random Number Generation | DSTL-17-16 |
| | Detonation Occurrence | 20-80 |
| | Diamond and High Thermal Conductivity Ceramics | 14-53 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| | Diamond Coatings, Technology for | 12-13 |
| | Diamond Semiconductor Switches | 6-78 |
| | Diamond Semiconductor Switches | 7-41 |
| | Diamond Substrates | 14-22 |
| | Dielectrics for Pulse-Power Capacitors | 7-34 |
| | Diesel Reforming | 13-36 |
| 16.3-2 | Differential Global Navigation Satellite System Receivers | DSTL-16-36 |
| | Diffraction Gratings | 20-177 |
| | Diffusion and Cryogenic Pumps | 20-173 |
| 17.2-7 | Digital Data Steganography | DSTL-17-42 |
| | Digital Optoelectronic Systems | 11-94 |
| | Digital Shearography | 12-23 |
| | Digitization (Battlefield) | 9-95 |
| | Diode, Bremsstrahlung | 20-118 |
| | Directed-Energy Neutralization (Land Mines) | 17-58 |
| | Directional Ordnance Land Mines | 2-161 |
| | Directional Warhead for Air Targets | 2-109 |
| | Discontinuously Reinforced Aluminum Metal Matrix Composites | 14-30 |
| | Discrete Event (DE) Simulation | 10-90 |
| | Displays for Wearable Computers | 11-85 |
| | Disposable Ground-Shock Simulation | 20-23 |
| 17.1-2 | Distributed Key Generation (DKG) | DSTL-17-13 |
| | Distributed Simulation | 10-90 |
| | DNA Sequencing, Chip-Based | 11-95 |
| 16.3-7 | Doppler (Radar and Sonar) Navigation Systems | DSTL-16-44 |
| | Dose-Rate Upset | 20-96 |
| | Double-Clad Fiber Lasers | 11-30 |
| | Drag-Reduction Coatings | 14-49 |
| | Dust Lofting | 20-19 |
| | Dynamic Pressure Gauge | 20-16 |
| | Edge-Emitting Laser Diode Array Process Technology | 11-20 |
| | Electric Drive (Marine Systems) | 13-37 |
| | Electric Drive (Ground Systems) | 9-43 |
| | Electric Propulsion, High-Power | 19-123 |
| | Electric Propulsion, Low-Power | 19-119 |
| | Electric Propulsion, Medium-Power | 19-121 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Electric ROVs | 13-64 |
| | Electric Surge Arresters (ESAs) | 20-112 |
| | Electrochemical Capacitors | 7-27 |
| | Electromagnetic (EM) Launch Technology | 2-20 |
| | Electromagnetic (EM) Lens | 6-97 |
| | Electromagnetic Probes and Sensors | 20-108 |
| 17.2-1 | Electronic Money Transfer | DSTL-17-30 |
| | Electronics, Molecular | 8-43 |
| | Electro-Optic and Photorefractive NLO Polymer Technologies | 11-48 |
| | Electrostatic Capacitors | 7-26 |
| | Electrothermal Chemical (ETC) Propulsion | 2-19 |
| | Electro-Thermal Chemical Gun | 9-41 |
| 17.1-3 | Elliptic Curve System Security | DSTL-17-14 |
| | EMI Detection | 17-77 |
| | EMI Detector (Land Mines) | 17-58 |
| | Emulated Biological Sensors (Land Mines) | 17-59 |
| | Encryption, High-Speed | 10-47 |
| | Endothermic Fuel-Cooled Technology | 1-20 |
| | Energy Storage Flywheels (ESFs) | 19-43 |
| | Energy-Management Systems (EMSs) | 1-30 |
| | Enhanced Dermal Penetration | 5-9 |
| 16.3-6 | Enhanced LORAN (E-LORAN) Systems for Navigation | DSTL-16-42 |
| | Enhanced Optical Lithography | 8-15 |
| | Environmental (for obscurants) | 5-28 |
| | Environmental Feedback Systems | 17-75 |
| | Environmentally Adaptive Active Sonar | 17-9 |
| | Equation of State (EOS) | 20-167 |
| | Excimer Lasers (LELs) | 11-16 |
| | Expendable Underwater Mine Hunters | 17-74 |
| | Explosive Array Neutralization (Land Mines) | 17-59 |
| | Explosive Magneto-Hydrodynamic Generators (EMHDGs) | 6-99 |
| | Explosive Magnetohydrodynamic Generators (EMHDGs) | 7-16 |
| | Explosive Net Arrays | 17-73 |
| | Explosively Driven Penetrator Technology | 2-42 |
| | External Vision, Advanced | 1-32 |
| | Extreme Environment Integrated Circuits (ICs) | 8-35 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| 16.1-8 | Fabrication Materials for Thin Silicon Windows | 19-76 |
| | Factory-Floor-Capable Coordinate Measuring Machines (CMMs) | 12-19 |
| | Fading Dispersive Communications Channels | 20-151 |
| | Faraday Cage (RF Hardening) | 6-109 |
| | Fast Disconnects | 20-113 |
| | Fault Detection, Isolation, and Recovery (FDIR) and Telemetry Tracking and Controls (TT&C) | 19-9 |
| | Fault-Tolerant Circuits and Techniques | 6-105 |
| | Fault-Tolerant Computing Technology | 19-22 |
| | Ferroelectric Liquid Crystal (FLC) Material | 11-62 |
| | Ferroelectric Thin Films | 14-24 |
| | Fiber Optic Gyroscopes (FOG) | DSTL-16-16 |
| | Fiber-Optic Missile | 9-68 |
| | Field Ion Spectrometry (FIS) | 5-20 |
| | Field-Adaptable Systems Technology (FAST) | 19-91 |
| | Field-Programmable Integrated Circuits (ICs) | 8-36 |
| | Fine Particulate Magnetic Materials for Paint or Coatings | 14-77 |
| | Finger, Thumb, and Palm-Print Identification | 10-72 |
| | Fire-Resistant Polymer Matrix Composites | 14-51 |
| | First Part Correct (or Valid) | 12-32 |
| | Flail Clearance and Neutralization (Land Mines) | 17-63 |
| | Flow Control Employing Microelectromechanical Systems (MEMS) | 1-8 |
| | Flow Control, Forebody Vortex | 1-8 |
| | Fluidic Nozzle | 1-14 |
| | Fluorescence Detection of Plastics | 17-72 |
| | Fluorine Gas Enhancement of Boron Propellant Combustion | 19-57 |
| | Fly-By-Light/Power-By-Wire (FBL/PBW) | 1-26 |
| | Flywheels | 7-21 |
| | Flywheels, Energy Storage | 19-43 |
| | Flywheels, Intermediate-Energy-Storage | 6-80 |
| | FOPEN GMTI Radar | 17-33 |
| | FOPEN SAR | 17-33 |
| | Forebody Vortex Flow Control | 1-8 |
| | Fractal Self-Shaping Robots | 12-40 |
| | Free Electron Laser (FEL) (HPM NB Sources) | 6-58 |
| | Frequency-Agile High-Energy Lasers (HELs) | 19-101 |
| | Fuel Cell (Marine Systems) | 13-36 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Fuel Cell, Proton Exchange Membrane | 7-11 |
| | Fuel Cell, Solid Oxide | 7-12 |
| | Fuel-Air Explosive (FAE) Technology | 2-115 |
| | Fuels, Cryogenic | 1-19 |
| | Full-Flow Staged Combustion Rocket Engine Cycle | 19-62 |
| | Functionally Graded Ceramic/Metal Systems | 14-14 |
| | Fuzes, Smart | 9-63 |
| | Gamma Titanium Aluminides | 14-31 |
| | Gamma-Ray Lasers | 6-20 |
| | Gamma-Ray Lasers | 11-25 |
| | Gap Fillers, Low-Observable | 14-46 |
| | Gas Chromatography (GC)—Ion Mobility Spectrometry (IMS) | 5-18 |
| | Gas Chromatography (GC)—Mass Spectrometry (MS) | 5-19 |
| | Gas Phase Ion Chemistry | 5-21 |
| | Gas Turbine Engine Lubricants and Seals | 14-47 |
| | Gas-Filled Plasma Tubes (HPM NB Sources) | 6-39 |
| | Gauge Installation | 20-24 |
| | Gear Metrology | 12-18 |
| | Generators, Explosive Magneto-Hydrodynamic | 6-99 |
| | Generators, Explosive Magneto-Hydrodynamic | 7-16 |
| | Genomics | 4-7 |
| | Glass Photosensitivity Technology | 11-38 |
| | Global Information Grid | 9-96 |
| 16.3-1 | Global Navigation Satellite System Receivers (including GPS-on-a-chip) | DSTL-16-34 |
| | Global Positioning System—Differential GPS (GPS—DGPS) Use in Space | 19-7 |
| | GMR Spin Valves | 14-83 |
| 16.3-3 | GNSS Anti-jam Components and Systems | DSTL-16-38 |
| 16.3-4 | GNSS In-door Navigation Systems | DSTL-16-40 |
| 16.3-4 | GNSS Interference and Jamming Location Systems | DSTL-16-41 |
| | GPR Detection (Land Mines) | 17-60 |
| | GPS/INS Hybrid Guidance | 9-84 |
| | Graphics Accelerator Technology | 10-85 |
| 16.3-16 | Gravity Data-Based Referenced Navigation (DBRN) Systems and Data Sources | DSTL-16-60 |
| 16.2-2 | Gravity Gradiometers | DSTL-16-27 |
| 16.2-1 | Gravity Meters (Gravimeters) | DSTL-16-26 |
| | Ground Shock Prediction | 20-20 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| 16.1-3 | Grounding Systems (RF Hardening) | 6-111 |
| | Ground-Shock Structure Survivability | 20-22 |
| | Guns, Soft-Recoil | 9-63 |
| | Gun-Tube Technology | 2-6 |
| | Gyro Astro Tracking Devices or Star Trackers | DSTL-16-11 |
| | Gyrodevices (HPM NB Sources) | 6-60 |
| | Gyrotron Oscillator and Gyro-Amplifier | 8-4 |
| | Hardness Surveillance Subsystems | 20-147 |
| | Health Monitoring and Diagnostics | 1-33 |
| | Heat Engine Air-Independent Propulsion | 13-35 |
| 16.1-9 | Heat Shield and Ablative Materials | 14-54 |
| | Helicopter Active Control | 1-26 |
| | Hemispheric Resonating Gyroscopes (HRG) | DSTL-16-17 |
| | HEMP Circumvention Techniques | 20-142 |
| | HEMP Coupling | 20-145 |
| | HEMP Environment Computation | 20-144 |
| | HEMP Pulse Generator | 20-148 |
| | Heterogeneous Integration of Vertical Cavity Surface Emitting Lasers (VCSELs) and Photodetectors with Complementary Metal Oxide Semiconductor (CMOS) Circuitry | 11-72 |
| | High Aspect Ratio, Strut-Braced Wing | 1-14 |
| | High Electrical Conductivity Aluminum and Polymer Composites | 14-16 |
| | High Performance Computing (HPC) | 10-31 |
| | High Thermal Conductivity Composites | 14-23 |
| | High Thermal Conductivity Structural Materials | 14-34 |
| | High-Accuracy, Thin-Film IR Optical Coatings | 11-65 |
| | High-Cycle-Life Lithium-Ion Batteries | 19-42 |
| | High-Density Interconnect | 19-16 |
| | High-Efficiency Solar Cells | 19-40 |
| | High-Efficiency, Compact 1,550-nm Semiconductor Space Communication Laser Diode Arrays | 19-103 |
| | High-Energy and Power Density Pulse Alternators and Compulsators | 7-28 |
| | High-Energy Laser (HEL) Optical Materials | 11-61 |
| | High-Energy Propellant Ingredients | 19-51 |
| | High-Energy Propellants | 19-54 |
| | Higher Blade-Cooling Effectiveness | 1-14 |
| | High-Firing Rate Ammunition | 2-6 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | High-Performance Magneto-Optic Superlattices | 14-80 |
| | High-Permeability Alloys | 14-75 |
| | High-Power 94 GHz Radar | 17-39 |
| | High-Power Electric Propulsion | 19-60 |
| | High-Precision Interferometric SAR Plus Global Positioning System (GPS) for Accurate Topographic Mapping | 17-37 |
| | High-Pressure Fluid Jet Neutralization (Land Mines) | 17-63 |
| | High-Pressure Water Jets | 17-78 |
| | High-Rate Shape Control | 14-61 |
| | High-Repetition-Rate (and Continuous) Capacitors | 7-34 |
| | High-Resolution Microdisplay Technology Using FLCs on CMOS Silicon | 11-74 |
| | High-Saturation, High-Strength, Soft Alloys for High-Temperature Use | 14-74 |
| | High-Speed Data Buses | 19-17 |
| 17.2-2 | High-Speed Encryption (HSE) | DSTL-17-32 |
| | High-Speed, High-Power Spindles with High-Feed Rate | 12-27 |
| | High-Strength, High-Fracture-Toughness Steel | 14-37 |
| | High-Strength/High-Modulus Carbon Fibers | 14-38 |
| | High-Temperature Jet Fuel | 14-46 |
| | High-Temperature Opacity | 20-165 |
| | High-Temperature Permanent Magnets | 14-75 |
| | High-Temperature Superconducting (HTS) Wires | 7-37 |
| | High-Temperature Superconducting Materials (Bulk) | 14-21 |
| | High-Temperature Superconducting Materials (Thin/Thick Films) | 14-21 |
| | High-Tenacity Polymer Fibers | 2-70 |
| | Holographic Optical Elements in Photo-Thermo-Refractive Glass | 11-401 |
| | Human Engineering (Marine Systems) | 13-78 |
| | Hybrid GPS/Inertial Navigation System Guidance | 9-65 |
| 16.1-2 | Hybrid Inertial Navigation Systems (Including GNSS) | DSTL-16-9 |
| 16.3-10 | Hybrid Navigation Systems (Other than with Inertial Navigation Systems) | DSTL-16-48 |
| | Hydraulic Fluids | 14-47 |
| | Hydrostatic Bearings for Rocket Engine Turbomachinery | 19-63 |
| | Hyperspectral Detection (Land Mines) | 17-57 |
| | Hyperspectral Imaging | 19-73 |
| | Hyperspectral Processing | 19-74 |
| | Imaging Optical Fuzing | 2-14 |
| | Imaging Optical Fuzing—Passive Infrared (PIR) | 2-15 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| 16.1-1 | Imaging, Hyperspectral | 19-73 |
| | Imaging, Thermal | 9-81 |
| | Improved Cathodes: Field-Emission Cathode Arrays (Cold Cathodes) | 8-4 |
| | Improved Cathodes: Oxide-Coated Cathodes | 8-5 |
| | Improved Cooling of Helix Tubes | 8-5 |
| | Improved Near Net-Shape | 12-8 |
| | Incapacitating Acoustic Weapons | 2-77 |
| | Incomplete Shields (RF Hardening) | 6-107 |
| | Inertial Navigation Systems (INS) | DSTL-16-85 |
| | Information Tamperproofing | 10-81 |
| | Infrared Antennas in FPA Format | 17-30 |
| | Infrared High-Energy Laser (IR HEL) for Space Surveillance and Counterspace (CNT) | 19-102 |
| | Insensitive Compounds | 2-55 |
| | Insensitive Munitions (IMs) Technology | 2-49 |
| | Insulation for Wide-Band (WB) Sources | 6-93 |
| | Insulators | 20-116 |
| | Insulators, Low Dielectric Constant | 14-25 |
| | Integrated Circuits (ICs), Advanced Packing of | 8-29 |
| | Integrated Circuits (ICs), Compound Semiconductor | 8-33 |
| | Integrated Circuits (ICs), Converter | 8-34 |
| | Integrated Circuits (ICs), Extreme Environment | 8-35 |
| | Integrated Circuits (ICs), Field-Programmable | 8-36 |
| | Integrated Circuits (ICs), Memory | 8-37 |
| | Integrated Circuits (ICs), Microprocessor | 8-38 |
| | Integrated Circuits (ICs), Silicon-Based | 8-45 |
| | Integrated Circuits (ICs), System-on-a-Chip | 8-39 |
| | Integrated Circuits, Application-Specific (ASICs) | 8-31 |
| | Integrated Communications/Controller Technologies | 19-94 |
| | Integrated Pulse-Forming Networks (IPFNs) and Capacitors | 7-42 |
| | Intelligent Minefields (IMFs) | 2-60 |
| 16.6-7 | Intelligent Navigation Algorithms | DSTL-16-95 |
| | Intercept Receivers | 17-15 |
| | Intercooled Recuperated Gas Turbine | 13-35 |
| | Intermediate-Energy-Storage Flywheels (PFNs) | 6-80 |
| | Intermetallic Alloys, Advanced | 14-31 |
| | Intermetallic Turbine Blade | 1-15 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Intumescent Protection Coatings | 14-52 |
| | Inverters (PFNs) | 6-84 |
| | Ion Beam Sources | 20-94 |
| | Ion Mobility Spectrometry (IMS) | 5-17 |
| | IR Coating Materials | 11-58 |
| | IR Optical Elements | 11-57 |
| | Jet Fuel, High-Temperature | 14-46 |
| 17.2-3 | Key Management | DSTL-17-33 |
| 17.2-4 | Key Recovery System Failure Mode and Effects Analyses | DSTL-17-34 |
| | Kinetic Energy (KE) Warhead Technology | 2-43 |
| | Kinetic Energy Missile (KEM) Propulsion | 2-10 |
| | Kinetic Energy Weapon (KEW) Systems | 6-26 |
| | Klystrons and Relativistic Klystrons (HPM NB Sources) | 6-37 |
| | Laboratory Simulation of High-Power Microwave/Radio Frequency (HPM/RF) Effects | 6-102 |
| | Laminar Flow Control (LFC) | 1-9 |
| | Laminated Transparencies | 14-12 |
| | Laminated/Encapsulated Combined Systems | 14-12 |
| | Land Mine Detection (Biotechnology) | 17-57 |
| | Land Mines (Air-Chisel Clearance/Neutralization) | 17-56 |
| | Land Mines (Chemical Neutralization) | 17-62 |
| | Land Mines (Directed-Energy Neutralization) | 17-58 |
| | Land Mines (EMI Detector) | 17-58 |
| | Land Mines (Emulated Biological Sensors) | 17-59 |
| | Land Mines (Explosive Array Neutralization) | 17-59 |
| | Land Mines (Flail Clearance and Neutralization) | 17-63 |
| | Land Mines (GPR Detection) | 17-60 |
| | Land Mines (High-Pressure Fluid-Jet Neutralization) | 17-63 |
| | Land Mines (Hyperspectral Detection) | 17-57 |
| | Land Mines (Laser Doppler Vibrometer Detection) | 17-64 |
| | Land Mines (Laser-Induced IR Polarization) | 17-61 |
| | Land Mines (Mine Roller) | 17-65 |
| | Land Mines (Neutron Activation Detection) | 17-61 |
| | Land Mines (Nuclear Quadrupole Detection) | 17-64 |
| | Land Mines (Passive IR Detection) | 17-60 |
| | Land Mines (Plow Clearance and Neutralization) | 17-65 |
| | Land Mines (Vapor/Particle Detection) | 17-66 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Land Mines (Water Jet Detection) | 17-62 |
| | Large Space Optics and Coatings | 19-31 |
| | Laser (Infrared High-Energy) for Space Surveillance and Counterspace (CNT) | 19-21 |
| | Laser (Multiple): Surface Modification/Coating | 12-23 |
| | Laser Communications, Satellite | 19-24 |
| | Laser Doppler Vibrometer Detection (Land Mines) | 17-64 |
| | Laser Launch Vehicles | 19-28 |
| | Laser Optical Materials, High-Energy | 11-61 |
| | Laser Radar (LADAR) Satellite Imaging Technology | 19-71 |
| | Laser Refrigeration by Means of Molecular Cooling | 11-82 |
| | Laser Seeker, Active | 2-26 |
| | Laser Technology, Ultra-Stable | 19-100 |
| | Laser Weapon, Tactical | 9-41 |
| | Laser, Free Electron | 6-58 |
| | Laser, Mid-IR, CW, and Power-Scalable Fiber | 11-49 |
| | Laser, Sodium High-Energy | 19-99 |
| | Laser, Ultra-Fast Fiber | 11-31 |
| | Laser-Aided Semiconductor Processing | 11-53 |
| | Laser-Induced IR Polarization (Land Mines) | 17-61 |
| | Lasers in the 3–15 μm Range | 11-26 |
| | Lasers, Frequency-Agile High-Energy | 19-101 |
| | Lasers, Double-Clad Fiber | 11-30 |
| | Lasers, Excimer | 11-16 |
| | Lasers, Gamma-Ray | 11-25 |
| | Lasers, Gamma-Ray | 6-20 |
| | Lasers, Mid-IR | 11-29 |
| | Lasers, Optically Pumped | 11-23 |
| | Lasers, Organic Semiconductor Thin-Film Edge-Emitting | 11-32 |
| | Lasers, Photonic Crystal Nanocavity | 11-27 |
| | Lasers, Solid-State (HELs) | 11-21 |
| | Lasers, Solid-State (LELs) | 11-22 |
| | Lasers, Surface-Emitting | 11-18 |
| | Lasers, Transfer | 11-15 |
| | Lasers, Vertical Cavity Surface Emitting | 11-72 |
| | Lasers, X-Ray | 11-24 |
| | Launch Vibration Isolation System (LVIS) | 19-27 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| | Lethality and Vulnerability Modeling Technology | 2-48 |
| | LIDAR (LADAR) Seeker | 9-66 |
| | LIDAR, Absorption | 5-22 |
| | LIDAR, Modulated Pulse | 17-70 |
| | LIDAR, Streak Tube Imaging | 17-72 |
| | Lightweight Multifunctional Satellite Structures | 19-86 |
| | Lightweight, Low Thermal Expansion Materials | 14-36 |
| | Lithium Ion Battery (Rechargeable) | 7-22 |
| | Lithium Polymer Batteries (PFNs) | 6-82 |
| | Lithium Polymer Battery (Rechargeable) | 7-23 |
| | Lithium Thermal Battery (Primary) | 7-10 |
| | Lithography, Small Critical-Dimension | 8-54 |
| | Long- and Dual-Wavelength IR FPA Technology | 17-28 |
| | Low Dielectric Constant Insulators | 14-25 |
| | Low-Cost Titanium | 14-8 |
| | Low-Observable Gap Fillers | 14-46 |
| 16.5-3 | Low-Power Clocks and Oscillators | DSTL-16-83 |
| | Low-Power Electric Propulsion | 19-58 |
| | Low-Repetition-Rate (LRR) and Burst Capacitors | 7-32 |
| 16.3-11 | LPI/LPD Radar Altimeters and Fathometers | DSTL-16-49 |
| | Machine Tool Metrology | 12-18 |
| | Machine Tools, Parallel Kinematic: (Stewart Platform, Hexapod, Parallel Linkage Structures, and so forth) | 12-58 |
| | Magnetic Amorphous Alloys | 14-76 |
| 16.3-15 | Magnetic and Electric Field Data-Based Referenced Navigation (DBRN) Systems and Data Sources | DSTL-16-58 |
| 16.4-11 | Magnetic and Electric Field Sensor Arrays | DSTL-16-76 |
| | Magnetic Bearings | 1-15 |
| | Magnetic Flux Compression Generators (MFCGs) | 7-17 |
| 16.4-8 | Magnetic Gradiometers | DSTL-16-73 |
| | Magnetic Materials for Enhanced Magnetocaloric Effect | 14-82 |
| | Magnetic Nanocrystalline Alloys | 14-77 |
| | Magnetic Nanoparticle Composites | 14-79 |
| 16.6-6 | Magnetic Navigation | DSTL-16-93 |
| | Magnetically Insulated Line Oscillator (MILO) (HPM NB Sources) | 6-44 |
| 16.4-6 | Magnetometers—Fiber Optic | DSTL-16-71 |
| 16.4-5 | Magnetometers—FluxGate | DSTL-16-70 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| 16.4-4 | Magnetometers—Induction Coil | DSTL-16-69 |
| 16.4-7 | Magnetometers—MEMS and Magnetoresistive | DSTL-16-72 |
| 16.4-3 | Magnetometers—Nuclear Precession (Proton/Overhauser/Helium-3) | DSTL-16-68 |
| 16.4-2 | Magnetometers—Optically Pumped/Electron Resonance (Helium-4, Potassium, Rubidium, or Cesium) | DSTL-16-67 |
| 16.4-1 | Magnetometers—Superconducting Quantum Interference Devices | DSTL-16-66 |
| | Magnetostrictive Alloys | 14-76 |
| | Marine-Platform Acoustic Devices and Materials | 17-22 |
| | Marine-Platform Active Noise Cancellation | 17-22 |
| | Mass Spectrometry (MS) | 5-18 |
| | Material Response | 20-166 |
| | Material Response To Particles | 20-38 |
| 17.1-1 | Mathematics | DSTL-17-12 |
| | Measurement (for obscurants) | 5-30 |
| | Measurement Systems | 20-170 |
| | Mechanical Enclosures | 20-171 |
| | Mechanically Pumped Thermal Systems | 19-45 |
| | Medical Informatics | 4-33 |
| | Medical Protective Technologies | 5-6 |
| | Medium-Power Electric Propulsion | 19-59 |
| | Medium-Repetition-Rate Capacitors | 7-33 |
| | Memory Integrated Circuits (ICs) | 8-37 |
| | MEMS and FPA Adaptive Optics | 11-84 |
| | MEMS Flow Control | 1-18 |
| 16.1-6 | MEMS Inertial Measurement Unit (Accelerometers Only) | DSTL-16-14 |
| | MEMS Navigation Instrumentation, Solid-State | 19-25 |
| | MEMS Processes | 14-64 |
| | MEMS, Technology for | 8-57 |
| | MEMS: Soft Lithography | 8-55 |
| | Mesoscale Machining Processes | 14-65 |
| | Mesoscale Modeling and Simulation (M&S) Technology | 2-47 |
| 17.1-5 | Message Integrity and Non-Repudiation | DSTL-17-18 |
| | Metal Matrix Composites | 14-10 |
| | Metal Structures | 14-68 |
| | Meteorology, Battlescale Lower Atmosphere | 2-32 |
| | Micro Air Vehicle (MAV) | 1-32 |
| | Micro Air Vehicles (MAVs) | 12-38 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Microelectromechanical Systems (MEMS) | 1-30 |
| 16.1.10 | Microelectromechanical Systems (MEMS) Gyroscopes | DSTL-16-18 |
| 16.1-5 | Microelectromechanical System (MEMS) Inertial Measurement Units or IMU and IMU on-a-Chip | DSTL-16-13 |
| 16.1-11 | Microelectromechanical Systems (MEMS) Linear Accelerometers | DSTL-16-19 |
| | Microelectromechanical Systems (MEMS) Space Sensors and Actuators | 19-19 |
| | Microelectromechanical Systems (MEMS) | 12-32 |
| | Micromachines | 12-31 |
| | Micrometeorology | 5-8 |
| | Micro-optical Elements (MOEs) on Micro-optical Table Systems (MOTS) | 11-36 |
| | Micro-optoelectro-mechanical Systems (MOEMS) Electronics for Space Optics | 19-35 |
| | Microphotonic Technology | 19-34 |
| | Microprocessor Integrated Circuits (ICs) | 8-38 |
| | Microturbines | 7-13 |
| | Microwave Power Modules (MPMs) | 8-6 |
| | Microwave Windows (HPM NB Sources) | 6-66 |
| | Mid-IR and Far-IR—Radiance (obscurants) | 5-26 |
| | Mid-IR Laser Sensor Systems | 19-70 |
| | Mid-IR Lasers | 11-19 |
| | Mid-IR, CW, Power-Scalable Fiber Laser | 11-29 |
| | Millimeter Wave—Scattering and Absorbing (obscurants) | 5-26 |
| | Millimeter-Wave (mmW) Air Target Fuzing | 2-14 |
| | Millimeter-Wave (mmW) Traveling Wave Tubes (TWTs) | 8-6 |
| | Millimeter-Wave Targeting and Imaging System (MMWTIS) | 19-72 |
| | Mine Hunters, Expendable Underwater | 17-74 |
| | Mine Roller (Land Mines) | 17-65 |
| | Minesweeping | 17-74 |
| | Miniaturized Gauges | 20-17 |
| | Minimization of Number of Tests (HPM) | 6-103 |
| | Missile Propulsion | 2-64 |
| | Missile, Fiber-Optic | 9-68 |
| | Mixing and Ignition | 20-73 |
| | MmW Seekers, Advanced Components for | 2-28 |
| | Mode Control/Mode Conversion (HPM NB Sources) | 6-65 |
| | Modulated Pulse LIDAR | 17-70 |
| | Modulation Techniques (HPM NB Sources) | 6-67 |
| | MOEMS Manufacturing Technology | 11-97 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| | Molecular Electronics | 8-43 |
| | Molecular Manufacturing (Nanotechnology), Technology for | 12-10 |
| | Molecular Motors | 7-46 |
| | Monitoring and Sensing of Cutting Tools and Machine Tools | 12-31 |
| | Monolithic Ceramics, Advanced | 14-64 |
| | MOS Turn-Off Thyristor | 7-42 |
| | MOS-Controlled Thyristor (MCT) | 7-41 |
| | Motors, Molecular | 7-46 |
| | Moving Charge Effects | 20-58 |
| | Multi-Aspect Data Fusion Processing for Active Sonar | 17-10 |
| | Multifunction Systems and Subsystems (Signature Control) | 18-15 |
| | Multi-Laser Surface Modification/Coating, Technology for | 12-14 |
| | Multiple Quantum Well and Superlattice Layered Electronic Materials | 14-22 |
| | Multiple Series Diode | 20-119 |
| | Multispectral (Visible, Infrared, Millimeter, and Possibly Centimeter) (obscurants) | 5-27 |
| | Multivariable Reconfigurable Control | 1-27 |
| | Multiwave Cerenkov Generator (MWCG) (HPM NB Sources) | 6-52 |
| | Nanocrystalline Materials and Structures | 14-35 |
| 16.1-12 | Nanoelectromechanical Systems (NEMS) Linear Accelerometers | DSTL-16-20 |
| | Nanomaterials, Creation and Packaging of | 5-30 |
| | Nanophase Coatings, Technology for | 12-13 |
| | Nanostructured Refractory Metals | 14-13 |
| | Nanotechnology (Electronic Fabrication) | 8-17 |
| | Nanotechnology (Molecular Manufacturing) | 12-16 |
| | Narrow-Band (NB) Antennas | 6-86 |
| | NDE Data Fusion | 12-24 |
| | NDE Using Smart Materials | 12-23 |
| | Network Access to the End User | 10-14 |
| | Network Attached Storage (NAS) | 10-24 |
| | Network Management | 10-66 |
| | Neutral Particle Beams (NPBs) | 6-10 |
| | Neutron Activation Detection (Land Mines) | 17-61 |
| | Neutron Beam Sources | 20-93 |
| | New-Capability Fuels | 1-19 |
| | Next-Generation Lithography | 8-19 |
| | Nickel Metal Hydride Battery (Rechargeable) | 7-24 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | NLO Materials | 11-60 |
| | Nonchromated Sealants | 14-45 |
| | Nonlinear Material Development for the 3.5 μm -Wavelength Region | 11-45 |
| | Nontraditional Insertions | 5-10 |
| | Novel <111> Piezoelectric Optoelectronic Devices for 1.0–1.23 μm Laser Wavelength Range | 11-17 |
| | Nozzle, Fluidic | 1-14 |
| | Nuclear Ground-Shock Simulator | 20-21 |
| | Nuclear Hardness Hardware | 20-106 |
| | Nuclear Hardness Software | 20-105 |
| | Nuclear Hardness Surveillance | 20-107 |
| | Nuclear Isomers | 2-54 |
| | Nuclear Quadrupole Detection (Land Mines) | 17-64 |
| | Nuclear Quadrupole Resonance | 17-76 |
| | Obscurant Clearing | 5-31 |
| | Obscurants (Precision Particle Production) | 5-29 |
| | Obscurants (Spectral Direction Selectivity) | 5-27 |
| | Obscurants (Technology Coupling) | 5-29 |
| | Obscurants (Temporal Selectivity) | 5-28 |
| | Obscurants, Multispectral | 5-27 |
| | Obscurants, Projected | 5-31 |
| 16.6-3 | Odor Navigation | DSTL-16-90 |
| | Open-Ocean-Deployed Passive Sonar | 17-15 |
| | Operate Through | 20-102 |
| | Optical and Infrared (IR) Simulators | 20-152 |
| | Optical Coatings, High-Accuracy Thin Film IR | 11-65 |
| | Optical Fiber Magnetic Field Sensors | 17-73 |
| | Optical Fluoride Materials | 11-55 |
| | Optical Interconnection (Chip-Level) | 11-91 |
| | Optical Interconnects, Silicon-Based | 11-90 |
| | Optical Lithography, Enhanced | 8-15 |
| | Optical Metrology (Aspheric Surfaces) | 11-39 |
| | Optical Metrology (Wafer Inspection) | 8-21 |
| | Optical Networks | 10-15 |
| | Optical Networks and Self-Organizing Systems | 11-93 |
| | Optical Packet Switching | 11-92 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| 16.5-4 | Optical Sensing Technology, Advanced | 11-79 |
| | Optical Tape Recording Technology | 11-71 |
| | Optical Waveguides via Current Steering of Beam | 11-98 |
| | Optically Pumped and Optical Clocks | DSTL-16-84 |
| | Optically Pumped Lasers | 11-23 |
| | Optically Transparent Armor | 14-9 |
| | Optics (Integrated): SoL-Gel Waveguides | 11-80 |
| | Optics and Coatings, Large Space | 19-31 |
| | Optics, Cooled Transmissive | 19-32 |
| | Optics, Precision Conformal | 11-63 |
| | Optimization of Thin Silicon Windows | 19-77 |
| | Optoelectronic Micro Network Technology | 11-97 |
| | Optoelectronic Systems, Digital | 11-94 |
| | Optoelectronics, Plastic | 11-51 |
| | Organic Semiconductor Thin-Film Edge-Emitting Lasers | 11-32 |
| | Oxide Dispersion-Strengthened Molybdenum | 14-15 |
| | Paint Stripping, Aircraft | 14-44 |
| | Parallel Kinematic Machine Tools (Stewart Platform, Hexapod, Parallel Linkage Structures, and so forth) | 12-28 |
| | Particle Motion Gauges | 20-179 |
| | Particle Velocity Gauges | 20-26 |
| | Passive Acoustic Damping Materials | 14-50 |
| | Passive Detection of Vehicles from a Land-based Site | 17-4 |
| | Passive Detection of Vehicles from an Airborne Munition | 17-4 |
| | Passive Infrared (IR) | 5-21 |
| | Passive IR Detection (Land Mines) | 17-60 |
| | Passive Optical Limiting | 11-81 |
| | Passive Sonar Adaptive Beamforming, Null Steering, and Sidelobe Reduction | 17-19 |
| | Passive Sonar Array Noise | 17-19 |
| | Passive Sonar Data Fusion | 17-18 |
| | Passive Sonar Hull-Mounted Receiving Arrays | 17-20 |
| | Passive Sonar Ranging | 17-18 |
| | Passive Sonar Reception | 17-17 |
| | Passive Sonar Target Tracking | 17-17 |
| | Peaking Capacitor | 20-149 |
| | Penetrating Weapon (PW) Effects on Buried Targets | 20-51 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Penetrating Weapon (PW) Effects on Space Targets | 20-50 |
| | Penetrating Weapon (PW) Effects on Surface Targets | 20-49 |
| | Performance-Seeking Aircraft Control (PSAC) | 1-27 |
| | Phased Arrays | 6-95 |
| | Phase-Locking (HPM NB Sources) | 6-62 |
| | Photochemical Reaction Center Synthesis/Structure (PRCS) | 7-45 |
| | Photonic Crystal Nanocavity Lasers | 11-27 |
| | Photonic Crystal Technology | 11-50 |
| | Photonics for Space Applications | 19-33 |
| | Photovoltaics (PVs) | 7-14 |
| | Piezoelectric Optoelectronic Devices for 1.0–1.23 μm Laser Wavelength Range | 11-29 |
| | Plasma Concentration | 20-153 |
| | Plasma Discharge | 20-77 |
| | Plastic Optoelectronics | 11-51 |
| | Plow Clearance and Neutralization (Land Mines) | 17-65 |
| | Polymer Composite Armor Material Systems | 14-11 |
| | Polymer Liquid Crystal Flake Material | 11-64 |
| | Polymer Matrix Composites (PMC) | 14-33 |
| | Polymer Structures | 14-69 |
| | Polynitrocubanes and Polyazacubanes (HEDM) | 2-54 |
| | Power-Isolation Devices | 20-114 |
| | Precision Conformal Optics | 11-36 |
| | Precision Particle Production (for obscurants) | 5-29 |
| | Precision Profile Grinders | 12-28 |
| | Precision-Guided Submunitions | 17-79 |
| | Prediction of TREE/SGEMP | 20-103 |
| | Processing, Hyperspectral | 19-74 |
| | Production and Design for Collective Protection | 5-5 |
| | Production and Design for Protective Clothing | 5-5 |
| | Projected Obscurants | 5-31 |
| | Projectiles, Variable Lethality | 2-77 |
| | Propellant Ingredients, High-Energy | 19-51 |
| | Propellant, Cryogenic: Storage and Refrigeration | 19-61 |
| | Propellants, High-Energy | 19-54 |
| | Propulsion Materials (Energetic): Solid-Particle Chemistry | 19-115 |
| | Propulsion, Electrothermal Chemical (ETC) | 2-19 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Propulsion, Heat Engine Air Independent | 13-35 |
| | Propulsion, High-Power Electric | 19-60 |
| | Propulsion, Kinetic Energy Missile (KEM) | 2-10 |
| | Propulsion, Low-Power Electric | 19-58 |
| | Propulsion, Medium-Power Electric | 19-59 |
| | Propulsion, Missile | 2-64 |
| | Propulsion, Solar Thermal | 19-49 |
| | Propulsion, Supersonic Combustion Ramjet (Scramjet) | 2-10 |
| | Proton Exchange Membrane Fuel Cell (PEMFC) | 7-11 |
| | Proton Exchange Membranes (PEM) | 14-52 |
| | Proximity Fuze Sensors for Aimable Warheads | 2-39 |
| | Pulse Shortening (HPM NB Sources) | 6-68 |
| | Pulse Transformers | 7-39 |
| | Pulsed Inductors (PFNs) | 6-81 |
| | Pulsed Transformers (PFNs) | 6-85 |
| | Pulse-Detonation Engines (PDEs) | 1-16 |
| | QH-Effect Materials | 14-86 |
| 17.1-7 | Quantum Cryptography | DSTL-17-22 |
| | Quantum Dots (QDs) for Radiation Monitoring | 19-20 |
| | Quantum Information Processing/Communications (QIPC) | 10-32 |
| | Quantum Nano-Optics of Semiconductors (QNOS) | 11-73 |
| | Quantum Well IR Photodetectors (QWIPs) | 19-69 |
| | Radar Transmitter, Ultra-Stable Solid-State | 17-39 |
| | Radar, FOPEN GMTI | 17-33 |
| | Radar, High-Power 94 GHz | 17-39 |
| | Radar, Space-Based | 19-75 |
| | Radar, Space-Based | 9-83 |
| | Radar-Based ATR | 17-34 |
| | Radars, Airborne “Stealth” | 17-35 |
| | Radars, Bistatic Surveillance | 17-36 |
| | Radiation Hydrodynamics Flow | 20-164 |
| | Radiation Testing | 20-98 |
| | Radiation-Hardened (Rad-Hard) Components | 20-100 |
| | Radiation-Hardened (Rad-Hard) Instrumentation | 20-99 |
| | Radio Frequency (RF) Hardening of Apertures | 6-106 |
| | Radios, Software-Based | 9-98 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Ramjets/Scramjets | 1-17 |
| | Rapid Airborne Mine Clearance System | 17-75 |
| | Rapid Prototyping Manufacturing (RPM) | 12-8 |
| | Reactive Munitions | 17-78 |
| | Real-Time, In-Field Nondestructive Evaluation (NDE) for Rotorcraft | 2-68 |
| | Regenerative Filtration | 5-6 |
| | Relational Toxicology | 5-14 |
| | Relativistic Backward Wave Oscillators (BWOs) (HPM NB Sources) | 6-50 |
| | Relativistic Diffraction Generator (RDG) (HPM NB Sources) | 6-54 |
| | Relativistic Magnetrons (HPM NB Sources) | 6-41 |
| | Reltrons and Super Reltrons (HPM NB Sources) | 6-48 |
| | Repair of Bismaleimide Composite Structures | 14-45 |
| | Repair of Metallic Aircraft Structure | 14-44 |
| | Resistive Isolation Cables | 20-115 |
| | Reverberation Suppression for Active Sonar | 17-8 |
| | RF Tags, Active | 17-37 |
| | Rigid Body Displacement | 20-13 |
| 16.1-7 | Ring Laser Gyroscopes (RLG) | DSTL-16-15 |
| | Robotics for Explosive Ordnance Disposal (EOD), Advanced | 2-215 |
| | Robots, Battlefield | 12-36 |
| | Robots, Fractal Self-Shaping | 12-40 |
| | Robots, Undersea | 12-37 |
| | Rocket Turbomachinery Design and Modeling | 19-64 |
| | Rotorcraft Structures, Smart Composite | 1-23 |
| | ROVs, Electric | 13-64 |
| | Sample Collection | 5-23 |
| | SAR, FOPEN | 17-33 |
| | SAR/ISAR Missile Seekers | 17-38 |
| | Satellite and Ground System Simulation | 19-95 |
| | Satellite Debris Shield and Removal | 20-106 |
| | Satellite Laser Communications (LASERCOM) | 19-24 |
| | Scattering Station Design | 20-162 |
| 17.2-5 | Secret Sharing Schemes | DSTL-17-37 |
| | Self-Assembling Magnetic Materials | 14-85 |
| | Self-Channeling NLO Materials Development Technology | 11-47 |
| | Semi-Solid Metalworking (SSM) | 12-9 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| | Sensor Degradation | 20-97 |
| | Sensors, Bio-Based | 4-17 |
| | Severe Plastic Deformation (SPD) | 14-39 |
| | Shape Memory Polymer/Magnetohydrodynamic (SMP/MHD) Microfluidic Systems | 19-88 |
| | Shape-Adaptive Structures | 14-60 |
| | Shaped Charges | 20-30 |
| | Shearography, Digital | 12-23 |
| | Shielding Materials (RF Hardening) | 6-108 |
| | Ship Topside and Corrosion-Control Coatings | 14-49 |
| | Shock Isolation | 20-32 |
| | Shock Tubes | 20-18 |
| | Shock-Wave Instrumentation | 20-15 |
| | Shock-Wave Measurement | 20-36 |
| | Silicon Carbide (SiC) | 8-8 |
| | Silicon Structures | 14-66 |
| | Silicon-Based Integrated Circuits (ICs) | 8-45 |
| | Silicon-Based Optical Interconnects | 11-90 |
| | Silicon-Carbide (SiC) Structures | 14-67 |
| | Silicon-on-Insulator (SOI) Separation by the Implantation of Oxygen (SIMOX) | 8-9 |
| | Silver Zinc Battery (Rechargeable) | 7-25 |
| | Single Pixel Three-Color Layered Detector | 17-29 |
| | Single-Stage-To-Orbit (SSTO) Reusable Launch Vehicle (RLV) | 1-33 |
| | Small- and Medium-Caliber Guidance and Control | 2-26 |
| | Small Critical-Dimension Lithography | 8-22 |
| | Smart Composite Rotorcraft Structures | 1-23 |
| | Smart Fuzes | 9-63 |
| | Smart Software for Autonomous Operations | 19-92 |
| | Smart Structures/Materials | 1-57 |
| | Sodium High-Energy Laser (HEL) | 19-99 |
| | Soft Lithography for Microelectromechanical Systems (MEMS) | 8-23 |
| | Soft Switch Inverters | 7-36 |
| | Soft-Recoil Guns/Howitzers | 9-63 |
| | Software-Based Radios | 9-98 |
| | Solar Blind Ultraviolet Sensor Technology | 17-29 |
| | Solar Cells, High-Efficiency | 19-40 |
| | Solar Furnace Systems | 20-66 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Solar Panels, Ultra-Lightweight Flexible | 19-39 |
| | Solar Parabolic Dish | 20-65 |
| | Solar Power Tower | 20-64 |
| | Solar Thermal Propulsion (STP) | 19-49 |
| | SoL-Gel Waveguides for Integrated Optics | 11-46 |
| | Solid Oxide Fuel Cell (SOFC) | 7-12 |
| | Solid-Particle Chemistry of Energetic Propulsion Materials | 19-56 |
| | Solids Dispersion | 5-10 |
| | Solid-State Image-Intensifier Technology | 17-26 |
| | Solid-State Lasers (HELs) | 11-21 |
| | Solid-State Lasers (LELs) | 11-22 |
| | Solid-State Lateral Switches (HPM WB Sources) | 6-75 |
| | Solid-State Microelectromechanical Systems (MEMS) Navigation Instrumentation | 19-10 |
| | Solid-State Photoconductive Switches (HPM WB Sources) | 6-73 |
| | Solid-State Semiconductor Switches (HPM WB Sources) | 6-71 |
| | Sonar (Active), Submarine Ahead-Looking | 17-26 |
| | Sonar (Active): Multi-Aspect Data Fusion Processing | 17-27 |
| | Sonar (Active): Reverberation Suppression | 17-20 |
| | Sonar (Passive) Data Fusion | 17-44 |
| | Sonar (Passive) Hull-Mounted Receiving Arrays | 17-47 |
| | Sonar (Passive) Ranging | 17-43 |
| | Sonar (Passive) Reception | 17-42 |
| | Sonar (Passive) Target Tracking | 17-41 |
| | Sonar Adaptive Beamforming, Null Steering, and Sidelobe Reduction, Passive | 17-46 |
| | Sonar Array Noise, Passive | 17-45 |
| | Sonar for Anti-Torpedo Torpedoes | 17-30 |
| | Sonar for Mine Countermeasures, Active | 17-29 |
| | Sonar for Submersibles, Advanced Active | 17-25 |
| | Sonar for Underwater Weapons, Active | 17-28 |
| | Sonar Signal and Data Processing for Multiplatforms, Active | 17-19 |
| | Sonar, Active: Channel-Adaptive Processing | 17-22 |
| | Sonar, Environmentally Adaptive Active | 17-23 |
| | Sonar, Open-Ocean-Deployed Passive | 17-38 |
| | Sonar, Synthetic Aperture | 17-71 |
| | Sonar, Toroidal Volume Search | 17-70 |
| | Sonobuoys | 17-16 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Source-Diode Coupling | 20-121 |
| | Space Autonomous Operations and Automated Servicing Technologies | 19-93 |
| | Space Cluster Navigation Software | 19-8 |
| | Space Environmental Ionizing-Particle Detectors | 19-81 |
| | Space Materials Development via Neural Networks | 19-87 |
| | Space Optics, MOEMS for | 19-35 |
| | Space-Based GMTI/AMTI | 17-38 |
| | Space-Based Radar (SBR) | 19-75 |
| | Space-Based Radar | 9-83 |
| | Spacecraft Lubricants | 14-43 |
| | Spacecraft Structural Response | 20-40 |
| | Spacecraft Survivability Against the Natural Space Environment | 19-82 |
| | Space-Qualified Clocks | 19-6 |
| | Space-Qualified Subsystem Technologies | 19-15 |
| | Space-Qualified Very Large-Scale Integrated (VLSI) Components | 19-14 |
| | Space-Qualified Very Large-Scale Integrated (VLSI) Technologies | 19-13 |
| | Spark Gaps for Wide-Band (WB) Sources | 6-69 |
| | Specialty Transparent Materials | 11-59 |
| | Spectral Direction Selectivity (for obscurants) | 5-27 |
| | Spectrometry, Field Ion | 5-20 |
| | Spectroscopy (Electro-optical Properties) | 5-22 |
| | Spring Magnetic Film | 14-84 |
| | SREMP Coupling | 20-111 |
| | SREMP Current Generators | 20-109 |
| | SREMP Environments | 20-110 |
| | SREMP Simulators | 20-90 |
| | STAP for Airborne Radars | 17-33 |
| 16.3-12 | Stellar Data-Based Referenced Navigation (DBRN) Systems and Data Sources | DSTL-16-50 |
| 16.6-1 | Stereovision Navigation | DSTL-16-88 |
| | Storage and Refrigeration—Cryogenic Propellant | 19-61 |
| | Streak Tube Imaging LIDAR | 17-72 |
| 17.1-6 | Stream Ciphers | DSTL-17-20 |
| | Stress Waves | 20-168 |
| | Structural Carbon-Carbon Composites | 14-35 |
| | Structural Coating | 20-31 |
| | Structural Materials, High Thermal Conductivity | 14-34 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| 16.1-13 | Structural Prognostics and Health Management (PHM) | 1-23 |
| | Submarine Ahead-Looking Active Sonar | 17-10 |
| | Subwavelength Structured (SWS) Surfaces | 11-37 |
| | Superalloys | 14-37 |
| | Superconducting Magnetic Bearings, Technology for | 12-16 |
| | Superconducting Quantum Interference Devices | 17-77 |
| | Superconductors (PFNs) | 6-83 |
| | Superfluid Quantum Gyroscopes | DSTL-16-21 |
| | Supersonic Combustion Ramjet (Scramjet) Propulsion | 2-10 |
| | Surface Acoustic Wave (SAW) | 5-19 |
| | Surface-Emitting Lasers | 11-18 |
| | Surveillance of Space From Space | 19-77 |
| | Surveillance System Technology, Advanced | 19-147 |
| | Switches | 20-150 |
| | Synthetic Aperture Sonar | 17-71 |
| | System Survivability Against Airblast | 20-14 |
| | System-Level HEMP Simulator | 20-141 |
| | System-on-a-Chip Integrated Circuits (ICs) | 8-392 |
| | Systems Engineering and Integration (Signature Control) | 18-25 |
| | Tactical Internet | 9-97 |
| 16.6-4 | Tactical Laser Weapon | 9-41 |
| | Tactile Navigation | DSTL-16-91 |
| | Tailless | 1-7 |
| | Tailored Property Materials | 18-9 |
| 16.6-5 | Tantalum Bore Coatings | 14-15 |
| | Taste Navigation | DSTL-16-92 |
| | Technology Coupling (for obscurants) | 5-29 |
| | Technology for Microelectromechanical Systems (MEMS) | 8-25 |
| | Technology for the 1,000- to 2,000-nm Wavelength Region | 17-26 |
| | Telemedicine | 4-28 |
| | Temporal Selectivity (for obscurants) | 5-28 |
| | Terminal Guidance | 2-63 |
| 16.3-13 | Terrain Data-Based Referenced Navigation (DBRN) Systems and Data Sources | DSTL-16-52 |
| | Thermal Barrier Coatings for Aeropropulsion | 14-53 |
| | Thermal Effects Simulator: Infrared (IR) Detectors | 20-67 |
| | Thermal Effects Simulator: Optical Semiconductor | 20-69 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| 16.5-1 | Thermal Environment Simulation | 20-78 |
| | Thermal Imaging | 9-81 |
| | Thermal Radiation Chemical Sources | 20-63 |
| | Thermal Radiation Instrumentation | 20-75 |
| | Thermal Radiation Modeling | 20-79 |
| | Thermal Radiation Testing | 20-74 |
| | Thermal Spectral Measurements | 20-76 |
| | Thermal/Blast Simulator | 20-11 |
| | Thermionic Converters | 7-15 |
| | Thermomechanical Shock (TMS) Prediction | 20-33 |
| | Thermomechanical Shock (TMS) Simulator | 20-34 |
| | Time and Frequency Distribution Systems | DSTL-16-80 |
| | Titanium, Low-Cost | 14-8 |
| | Topology and System Models (EM Systems) | 6-100 |
| | Toroidal Volume Search Sonar | 17-70 |
| | Toxicology, Relational | 5-14 |
| | Training of Health Personnel | 4-18 |
| | Transfer Lasers (COIL) | 11-15 |
| | Transient Suppression (RF Hardening) | 6-110 |
| | Transition Metal Dithiolene Dye Material | 11-66 |
| | Traveling Wave Tubes (TWTs) (HPM NB Sources) | 6-46 |
| | Treat Traumatic Injury, Abdominal Bleeding, Burns, and Provide Organ Replacement | 4-29 |
| | TREE/SGEMP Hardening | 20-89 |
| | TREE/SGEMP Simulators | 20-87 |
| | Tribology in Severe Environments | 14-17 |
| | Triggered Gas Switches (HPM WB Sources) | 6-76 |
| | Tungsten Alloys | 14-13 |
| | Two- and Three-Dimensional, Optically Written, Real-Time Displays | 11-77 |
| | Ultra Wide Band (UWB) Communications | 10-163 |
| | Ultra-Fast Fiber Lasers | 11-31 |
| | Ultra-High Hardness Steel Plate | 14-7 |
| | Ultra-High Strength; Intermediate Fracture Toughness Steels | 14-7 |
| | Ultrahigh-Density Magnetic Recording Materials | 14-78 |
| | Ultrahigh-Performance Soft Magnetic Materials for High-Temperature Turbine Applications | 14-74 |
| | Ultra-High-Speed Photonics for Networking, Instrumentation, and Signal Processing | 11-96 |

| Data Sheet | Technology | Page number |
|-------------------|--|--------------------|
| | Ultra-Lightweight Armor Systems | 14-11 |
| | Ultralightweight Flexible Solar Panels | 19-39 |
| | Ultra-Lightweight Metallic Materials | 14-34 |
| | Ultrastable Laser Technology | 19-100 |
| | Ultrastable Laser-Diode Space-Tracking Arrays | 19-104 |
| | Ultra-Stable Solid-State Radar Transmitter | 17-39 |
| | Unattended Ground Sensors | 9-81 |
| | Uncooled IR Array Technology | 17-27 |
| | Underground Test (UGT) Environment Gauges | 20-27 |
| | Underground Weapons Effects Testbed | 20-161 |
| | Undersea Robots | 12-37 |
| 16.3-8 | Underwater Acoustic Beacon Navigation Systems | DSTL-16-46 |
| 16.4-9 | Underwater Electric Field Sensors | DSTL-16-74 |
| | Underwater Nuclear Shock Prediction | 20-28 |
| | Underwater Nuclear Shock Simulation | 20-29 |
| | Underwater Weapons Passive Sensors | 17-16 |
| | Unmanned Air Vehicles | 9-82 |
| | Unmanned Ground Vehicles | 9-44 |
| | Urban Modeling | 5-8 |
| | UUV Networks | 13-64 |
| | Vacuum Power Flow | 20-95 |
| | Vapor/Particle Detection (Land Mines) | 17-66 |
| | Variable Addressability Imaging Systems | 11-75 |
| | Variable Lethality Projectiles | 2-77 |
| | Variable Wavelength Imaging Spectrometers | 11-83 |
| | Vetronics | 9-44 |
| | Vibration Suppression | 14-60 |
| | Virtual Cathode Oscillator (Vircator) (HPM NB Sources) | 6-56 |
| | Virtual Reality (VR) Display Technology | 10-86 |
| | Viscous Drag Reduction | 1-9 |
| | Viscous Flow Control | 1-10 |
| 16.3-9 | Vision Navigation Systems | DSTL-16-47 |
| | Vulnerability Assessment | 20-101 |
| | Warm X-Ray Debris Shield | 20-123 |
| | Water Jet Detection (Land Mines) | 17-62 |
| | Water Jets, High-Pressure | 17-78 |

| Data Sheet | Technology | Page number |
|-------------------|---|--------------------|
| | Waveform Control | 20-81 |
| | WDM Microcavity Waveguides | 11-95 |
| | Wearable Computing Systems (WCSs) | 10-74 |
| | Wide Bandgap (WB) Semiconductors | 7-40 |
| | Wide-Band (WB) Antennas | 6-89 |
| | Wide-Band (WB) Systems | 6-77 |
| | Wide-Bandgap Electronic Materials | 14-25 |
| | Wing, Active Aeroelastic | 1-24 |
| | Wing, Strut-Braced, High Aspect Ratio | 1-14 |
| | X-Ray (cold) Debris Shield System | 20-257 |
| | X-Ray (cold) Effects Simulation | 20-195 |
| | X-Ray (cold) Simulator: Explosive Loading Simulator | 20-143 |
| | X-Ray (cold) Simulator: Magnetically Driven Flyer Plate | 20-141 |
| | X-Ray (cold) Simulator: X-Ray Machines | 20-138 |
| | X-Ray Blow Off | 20-169 |
| | X-Ray Debris Shield, Cold | 20-122 |
| | X-Ray Debris Shield, Hot | 20-124 |
| | X-Ray Debris Shield, Warm | 20-123 |
| | X-Ray Diodes | 20-176 |
| | X-Ray Effects Reduction | 20-35 |
| | X-Ray Lasers | 11-24 |
| | X-Ray Protective Coatings | 20-41 |
| 17.2-6 | Zero-Knowledge Proofs (ZNPs) | DSTL-17-40 |
| | Zoned Ammunition for Autoloading Artillery | 2-21 |